

Example: Indicators used in SDG 2 reporting

Most relevant targets are 2.1 and 2.2



Indicators for sub-targets	Definition and source	Unit	Data source
Indicator 2.1.1: Prevalence of undernourishment	The indicator expresses the population consuming insufficient food (below required dietary energy levels) as a percentage of the total population, based on surveys.	%	United Nations. (2021). SDG Indicators. Metadata repository [New York] UN: https://unstats.un.org/sdgs/metadata/?Text=&Goal=2&Target
Indicator 2.1.2: Prevalence of moderate or severe food insecurity in the population	The indicator expresses the population that experienced food insecurity as a percentage of the total population, based on surveys.	%	
Indicator 2.2.1: Prevalence of stunting among children under 5 years of age	This indicator shows the share of children (max. 5 years old) where height for age has a <-2 standard deviation from the median of the WHO Child Growth Standards.	%	
Indicator 2.2.2: Prevalence of malnutrition among children under 5 years of age, by type	Prevalence of malnutrition is indicated by weight for height >+2 or <-2 standard deviation from the median of the WHO Child Growth Standards.	%	
Indicator 2.2.3: Prevalence of anaemia in women aged 15 to 49 years, by pregnancy status	Share of women (15-49 years) with a haemoglobin concentration less than 120g/L or 110g/L (if pregnant), based on surveys.	%	